

# SC SERIES

CAPPING



Advanced Filling Technology





**Filtec** Automation offers a range of stand alone cappers to cap bottles filled on stand alone fillers. We offer a variety of sizes and configurations from Single Head Incremental Motion through to 10 Head Continuous Motion Rotary Cappers, all fully customisable with a large array of options. The cappers are available in standard as well as GMP compliant specifications and are also available in multi-stage configuration to accommodate multi-stage capping such as the placement of roll-on balls before capping or placement of “Over” caps after capping. We also offer a range of electronic cappers that utilise servo motor technology for accurate torque control with cap torque feedback, as well as cap orientation.

Cappers are supplied complete with cap unscramblers to suit the cap being applied. Chuck options include, mechanical grip chucks, passive grip chucks, snap cap chucks and vacuum cup pick and place snap cap chucks. Cap placement is achieved using either a “Pick ‘n Place” or “On the Fly” system designed to ensure that the cap is placed correctly for capping. A tool-less change parts system is used to make fast changes between bottle sizes.





Our cappers are available in a number of specifications from the basic, utilising push button controls and manual turret height adjustment, to advanced utilising a touchscreen HMI and fully automated turret height adjustment utilising our “Recipe” system where the settings for each different bottle are stored and can be recalled by selecting the appropriate recipe on the HMI.

## ROTARY CAPPER SPEEDS

<b>FSC01PP</b> 1 Head Capper	<b>FSC03PP</b> 3 Head Capper	<b>FSC04PPBB</b> 4 Head Big Bore Capper	<b>FSC05PP</b> 5 Head Capper	<b>FSC08PP</b> 8 Head Capper
2400 bottles / hour	4800 bottles / hour	4800 bottles / hour	7000 bottles / hour	12000 bottles / hour

*Disclaimer: All information is correct at time of publishing however changes to design or specification may occur at any time at Filtec Automation's discretion.*

*ROBUST • EFFICIENT • SAFE*



*www.filtec.co.za*



*Tel: +27 (0)31 700 4362*  
*Fax: +27 (0)88 031 700 8506*  
*info@filtec.co.za*

